

Foot-steps to the Pipe & Drap area (Back of Pipe and Drap area can be open if the back of the stage area is to the wall)

Pipe and Drape

(Note: Pipe & Draps to extend all the way to the stage.)

Length: 10 foot (minimum)

16 feet (minimum)

Basic Stage & Sound System Layout for a Too Live Nurse Performance.

(Note: Not Drawn to Scale!)

What is needed for the performance area:

- 1) 16 ft. (width) by 24 ft. (length) stage (Minimal Length = 16 ft.)
- 2) 16 ft. (width) by 10 ft. (length) Pipe and Drape area.

(This is the min. size)

3) Two sets of stairs to the stage.

(One set of stairs between stage and Pipe and Drape area.)

- 4) One to two wheel chairs for the performance.
- 5) For the pipe and drape area: 1 table and 1 clothes rack.

What is needed for the sound system:

1) Use of the House Sound System

(speakers, amps, outlets, cables, etc.)

- 2) Three cordless lavelier microphones for performance.
- 3) One regular hand-held microphone and Microphone stand near the Sound Booth Area.
- 4) One good-quality CD player

(Must have pause capabilities between tracks!)

5) One multi-channel mixing board

(To handle all microphones, CD player

and send signal to the main house sound system AND monitor speakers.)

6) One pair of monitor speakers on stage

(To handle music from CD player only

No microphone signals will be sent to monitor speakers)

- 7) One amplifier to power the monitor speakers.
- 8) All appropriate sound-system cables and patch cords.
- 9) One small table for the "Sound Booth Area"

To Contact **Too Live Nurse** regarding Staging & Sound System: Phone: **(518) 794-7799**

Email: efiebke@toolivenurse.com

Sound Booth Area

Table for:

- 1) Multi-channel mix board
- 2) CD player
- 3) Receivers for cordless mic's

(Note: The Sound Booth can be located on the left or right side of the room. Will needaccess to electrical outlets and audio inputs to the room's sound system.)